INDEX TO

EXPERIMENTAL TECHNIQUES

Volume 9, 1985

Title Index

Acoustic-Emission Monitoring of Composite Damage Occurring Under Static and Compact Loading — D.S. Gardiner and L.H. Pearson, 22-28 (Nov.).

Alternate Technique for Implementing Center-Hole Drilling/Residual-Stress Measurements, An — A. Koshti and D.M. Egle, 28-30 (Dec.).

British Society for Strain Measurement—The Facts — I.B. Macduff, 40-42 (March).

Bulk-Zero Stress Standard—AISI 1018 Carbon-Steel Specimens — compiled by J.J. Yavelak, 38-41 (April).

'Burning Issues' in Composite Materials — compiled by R.F. Gibson, 23-25 (Oct.).

Comparison of Four Hole-Producing Techniques for the Center-Hole Residual-Stress Measurement Method — M.T. Flaman and J.A. Herring, 30-32 (Aug.)

Computer-Assisted Reduction of Rectangular (45-Deg) Rosette Strain-Gage Data — R.O. Case and M.A. Crabb, 19-22 (Aug.).

Controlling Biaxial Strain in an Inflated Elastomeric Membrane — K.L. Blaedel, C.H. Radewan and W.W. Feng, 29-32 (Nov.).

Design and Testing of a Baseball-Bat Transducer — G.W. Eggeman and M.L. Noble, 20-23 (Feb.).

Digital-Image-Processing-Based Computer System to Measure the Area Under Curves, A — C. Lee, W.H. Peters, M.A. Sutton and Y.J. Chao, 26-27 (June).

Direct Two-Dimensional Photoelastic Calibration — G.E. Warren and L. Javier Malvar, 38-39 (March).

Effect of Dimpling on the Fatigue Strength of Loaded Holes in a Corrosive Environment, The — J. Shewchuk and A. Lohse, 33-36 (Sept.).

Experimental Apparatus for the Measurement of Mandibular and Associated Suprastructure Displacement — M.W. Bidez, W.B. O'Neal and J.E. Lemons, 21-23 (Jan.).

Fatigue-Testing Device for Elastomeric Adhesives and Sealants, A — L.B. Sandberg, 28-29 (Oct.).

Force and Torque Measurement, A Technology Overview. Part I—Force — S.S. Gindy, 28-33 (June).

Force and Torque Measurement, A Technology Overview. Part II—Torque — S.S. Gindy, 9-15 (July).

Low-Cost Furnace Temperature Control for Making Photoelastic Models and Stress Freezing, A — M. Beroqui, C. Volpi and J. Perez Ipina, 32-35 (April).

Measurement of Displacements in Large Boreholes with a Strain-Gaged Proving Ring — W.C. Patrick and N.L. Rector, 17-19 (Feb.).

Measurement of Dynamic Impact Thrust Exerted by High-Frequency Liquid Jets — S.K. Kesavan, N.P. Reddy and S. Yazdani-Ardakani, 31-32 (Sept.).

Measurement of Shock-Absorption Characteristics of Athletic Shoes — C.A. Calder, C.E. Smith and J. Ying, 21-24 (June).

Measurement Technique for Determining Dynamic Crack Speeds in Engineering-Materials Experimentation, A — C.R. Barnes, 33-37 (March).

Measuring Preload in Fasteners — M. Groper, 28-29 (Jan.).

Optical Measurement of Projectile Velocity — J.F. Cardenas-Garcia and D.C. Holloway, 25-27 (Feb.).

Optical Method for Profilometry, An — C. Babu Rao, B. Raj and D.K. Bhattacharya, 31-34 (Dec.).

Polycarbonate Photoelastic Coatings for Curved Specimens — A. Mondina, C. Pappalettere and M. Sangirardi, 23-26 (Dec.).

Preparation of Effective Visuals — C.A. Calder, 16-18 (Aug.).

Quick Assessment of Damage Potential Using Photoelastic Data — U.M. Chaudhari, 26-27 (Oct.).

Remote Vibration Measurement by Time-Averaged Holographic Interferometry — T.D. Dudderar, J.A. Gilbert, R.A. Franzel and J.H. Schamell, 25-27 (Jan.).

SEM-Written Standard for Portable Strain-Indicating Instruments — compiled by D. Windstein, 30 (May).

Simple Method of Obtaining Curvature Contours in Real Time, A — J.J. Wasowski, 20-21 (July).

Specimen for Elastic-Plastic Crack Curving, A — O.S. Lee, 28-29 (May).

Strain-Gage Reinforcement Effects on Low-Modulus Materials — C.C. Perry, 25-27 (May).

Stress-Concentration Factors as Function of Displacements — A.J. Durelli and E. Rojas Toledo, 25-30 (Sept.).

Stresses and Strains in Composites from Rosette-Gage Readings — H.W. Smith and J.P. Hunt, 21-22 (Oct.).

Supersensitive Dial-Gage Measurement by Observing Rotation of Laser Speckles — C.S. Vikram and K. Vedam, 16-17 (July).

System Identification for Determination of Dynamic Properties from Forced-Vibration Testing — A.N. Lin, 34-37 (Nov.).

Technique of Protecting Bondable Foil Strain Gages in Pressurized Water to 150°C, A — L.J. Hosaluk, 29-32 (March).

Temperature Effect on Mechanical Properties of Steels in Elastic Impact — M. Groper and J. Hamelink, 37-39 (Sept.).

Test Method for Evaluation of Shear Modulus of Low-Stiffness Material — V. Weissberg and S. Cioclia, 37 (April).

Uniaxial Tensile Test for a Brittle Material — G.W. Eggeman and H.A. Hackerott, 18-19 (July).

Use of Encapsulated High-Temperature Strain Gages at Temperatures up to 315°C, The — P. Hoffstötter, 24-29 (Aug.).

Use of Shaft Shear Strain to Determine Support Loads, The — N.S. Murry, 30-31 (Jan.).

Author Index

Babu Rao, C. — An Optical Method for Profilometry, 31-34 (Dec.).

Barnes, C.R. — A Measurement Technique for Determining Crack Speeds in Engineering-Materials Experimentation, 33-37 (March).

Beroqui, M. — A Low-Cost Furnace Temperature Control for Making Photoelastic Models and Stress Freezing, 32-35 (April).

Bhattacharya, D.K. — An Optical Method for Profilometry, 31-34 (Dec.).

Bidez, M.W. — Experimental Apparatus for the Measurement of Mandibular and Associated Suprastructure Displacement, 21-23 (Jan.).

Blaedel, K.L. — Controlling Biaxial Strain in an Inflated Elastomeric Membrane, 29-32 (Nov.).

Calder, C.A. — Measurement of Shock-Absorption Characteristics of Athletic Shoes, 21-24 (June).
Preparation of Effective Visuals, 16-18 (Aug.).

Cardenas-Garcia, J.F. — Optical Measurement of Projectile Velocity, 25-27 (Feb.).

Case, R.O. — Computer-Assisted Reduction of Rectangular (45-Deg) Rosette Strain-Gage Data, 19-22 (Aug.).

Chao, Y.J. — A Digital-Image-Processing-Based Computer System to Measure the Area Under Curves, 26-27 (June).

Chaudhari, U.M. — Quick Assessment of Damage Potential Using Photoelastic Data, 26-27 (Oct.).

Cioclia, S. — Test Method for Evaluation of Shear Modulus of Low-Stiffness Material, 37 (April).

Crabb, M.A. — Computer-Assisted Reduction of Rectangular (45-Deg) Rosette Strain-Gage Data, 19-22 (Aug.).

Dudderar, T.D. — Remote Vibration Measurement by Time-Averaged Holographic Interferometry, 25-27 (Jan.).

Durelli, A.J. — Stress-Concentration Factors as Function of Displacements, 25-30 (Sept.).

Eggeman, G.W. — Design and Testing of a Baseball-Bat Transducer, 20-23 (Feb.).
Uniaxial Tensile Test for a Brittle Material, 18-19 (July).

Egle, D.M. — An Alternate Technique for Implementing Center-Hole Drilling/Residual Stress Measurements, 28-30 (Dec.).

Feng, W.W. — Controlling Biaxial Strain in an Inflated Elastomeric Membrane, 29-32 (Nov.).

Flaman, M.T. — Comparison of Four Hole-Producing Techniques for the Center-Hole Residual-Stress Measurement Method, 30-32 (Aug.).

Franzel, R.A. — Remote Vibration Measurement by Time-Averaged Holographic Interferometry, 25-27 (Jan.).

Gardiner, D.S. — Acoustic-Emission Monitoring of Composite Damage Occurring Under Static and Compact Loading, 22-28 (Nov.).

Gibson, R.F. — 'Burning Issues' in Composite Materials, 23-25 (Oct.).

Gilbert, J.A. — Remote Vibration Measurement by Time-Averaged Holographic Interferometry, 25-27 (Jan.).

Gindy, S.S. — Force and Torque Measurement, A Technology Overview, Part I—Force, 28-33 (June).
Force and Torque Measurement, A Technology Overview. Part II—Torque, 9-15 (July).

Groper, M. — Measuring Preload in Fasteners, 28-29 (Jan.).
Temperature Effect on Mechanical Properties of Steels in Elastic Impact, 37-39 (Sept.).

Hackerott, H.A. — Uniaxial Tensile Test for a Brittle Material, 18-19 (July).
Hamelink, J. — Temperature Effect on Mechanical Properties of Steels in Elastic Impact, 37-39 (Sept.).
Herring, J.A. — Comparison of Four Hole-Producing Techniques for the Center-Hole Residual-Stress Measurement Method, 30-32 (Aug.).
Hofstätter, P. — The Use of Encapsulated High-Temperature Strain Gages at Temperatures up to 315°C, 24-29 (Aug.).
Holloway, D.C. — Optical Measurement of Projectile Velocity, 25-27 (Feb.).
Hosaluk, L.J. — A Technique of Protecting Bondable Foil Strain Gages in Pressurized Water to 150°C, 29-32 (March).
Hunt, J.P. — Stresses and Strains in Composites from Rosette-Gage Readings, 21-22 (Oct.).
Javier Malvar, L. — Direct Two-Dimensional Photoelastic Calibration, 38-39 (March).
Kesavan, S.K. — Measurement of Dynamic Impact Thrust Exerted by High-Frequency Liquid Jets, 31-32 (Sept.).
Koshti, A. — An Alternate Technique for Implementing Center-Hole Drilling/Residual-Stress Measurments, 28-30 (Dec.).
Lee, C. — A Digital-Image-Processing-Based Computer System to Measure the Area Under Curves, 26-27 (June).
Lee, O.S. — A Specimen for Elastic-Plastic Crack Curving, 28-29 (May).
Lemons, J.E. — Experimental Apparatus for the Measurement of Mandibular and Associated Suprastructure Displacement, 21-23 (Jan.).
Lin, A.N. — System Identification for Determination of Dynamic Properties from Forced-Vibration Testing, 34-37 (Nov.).
Lohse, A. — The Effect of Dimpling on the Fatigue Strength of Loaded Holes in a Corrosive Environment, 33-36 (Sept.).
Macduff, I.B. — British Society for Strain Measurement—The Facts, 40-42 (March).
Mondina, A. — Polycarbonate Photoelastic Coatings for Curved Specimens, 23-26 (Dec.).
Murry, N.S. — The Use of Shaft Shear Strain to Determine Support Loads, 30-31 (Jan.).
Noble, M.L. — Design and Testing of a Baseball-Bat Transducer, 20-23 (Feb.).
O'Neal, W.B. — Experimental Apparatus for the Measurement of Mandibular and Associated Suprastructure Displacement, 21-23 (Jan.).
Pappalettere, C. — Polycarbonate Photoelastic Coatings for Curved Specimens, 23-26 (Dec.).
Patrick, W.C. — Measurement of Displacements in Large Boreholes with a Strain-Gaged Proving Ring, 17-19 (Feb.).
Pearson, L.H. — Acoustic-Emission Monitoring of Composite Damage Occurring Under Static and Compact Loading, 22-28 (Nov.).
Perez Ipina, J. — A Low-Cost Furnace Temperature Control for Making Photoelastic Models and Stress Freezing, 32-35 (April).
Perry, C.C. — Strain-Gage Reinforcement Effects on Low-Modulus Materials, 25-27 (May).
Peters, W.H. — A Digital-Image-Processing-Based Computer System to Measure the Area Under Curves, 26-27 (June).
Radewan, C.H. — Controlling Biaxial Strain in an Inflated Elastomeric Membrane, 29-32 (Nov.).
Raj, B. — An Optical Method for Profilometry, 31-34 (Dec.).
Rector, N.L. — Measurement of Displacements in Large Boreholes with a Strain-Gaged Proving Ring, 17-19 (Feb.).
Reddy, N.P. — Measurement of Dynamic Impact Thrust Exerted by High-Frequency Liquid Jets, 31-32 (Sept.).
Rojas Toledo, E. — Stress-Concentration Factors as Function of Displacements, 25-30 (Sept.).
Sandberg, L.B. — A Fatigue-Testing Device for Elastomeric Adhesives and Sealants, 28-29 (Oct.).
Sangirardi, M. — Polycarbonate Photoelastic Coatings for Curved Specimens, 23-26 (Dec.).
Schamell, J.H. — Remote Vibration Measurement by Time-Averaged Holographic Interferometry, 25-27 (Jan.).
Shewchuk, J. — The Effect of Dimpling on the Fatigue Strength of Loaded Holes in a Corrosive Environment, 33-36 (Sept.).
Smith, C.E. — Measurement of Shock-Absorption Characteristics of Athletic Shoes, 21-24 (June).
Smith, H.W. — Stresses and Strains in Composites from Rosette-Gage Readings, 21-22 (Oct.).
Sutton, M.A. — A Digital-Image-Processing-Based Computer System to Measure the Area Under Curves, 26-27 (June).
Vedam, K. — Supersensitive Dial-Gage Measurement by Observing Rotation of Laser Speckles, 16-17 (July).
Vikram, C.S. — Supersensitive Dial-Gage Measurement by Observing Rotation of Laser Speckles, 16-17 (July).
Volpi, C. — A Low-Cost Furnace Temperature Control for Making Photoelastic Models and Stress Freezing, 32-35 (April).
Warren, G.E. — Direct Two-Dimensional Photoelastic Calibration, 38-39 (March).
Wasowski, J.J. — A Simple Method of Obtaining Curvature Contours in Real Time, 20-21 (July).
Weissberg, V. — Test Method for Evaluation of Shear Modulus of Low-Stiffness Material, 37 (April).
Windstein, D. — SEM-Written Standard for Portable Strain-Indicating Instruments, 30 (May).
Yavelak, J.J. — Bulk-Zero Stress Standard—AISI 1018 Carbon-Steel Specimens, 38-41 (April).
Yazdani-Ardakani, S. — Measurement of Dynamic Impact Thrust Exerted by High-Frequency Liquid Jets, 31-32 (Sept.).
Ying, J. — Measurement of Shock-Absorption Characteristics of Athletic Shoes, 21-24 (June).

AEROSPACE STRUCTURES
SYRACUSE UNIVERSITY

Syracuse University Department of Mechanical and Aerospace Engineering invites applications and nominations for a faculty position in the area of aerospace structures. Candidates should have a doctorate with a strong background in aerospace; also extensive experience in modern experimental techniques and instrumentation. Candidate is expected to teach aero-structures courses, develop an aero-structures laboratory for both undergraduate instruction and graduate research, and initiate research. Salary, rank, and tenure status will depend upon the experience and qualifications of the individual. Applicants should send resumes and other relevant information, along with the names, addresses, and telephone numbers of three references to: Professor Charles Libove, Search Committee Chairman, Mechanical & Aerospace Engineering Department, Syracuse University, Syracuse, New York 13244. It is anticipated that the appointment will start no later than September 1, 1986. All applications received by February 1, 1986, will receive full consideration, but the search will continue until the position is filled. Syracuse University is an equal opportunity/affirmative action employer.

OUTSTANDING OPPORTUNITIES REQUIRING STRONG EXPERIMENTAL AND ANALYTICAL SKILLS

- Optical Methods. BS/MS Physics with 3-8 years of experience developing sophisticated optical systems for experimental laboratory applications. Openings available in geometric or electro-optics areas.
- Composite Materials and Structures. BS/MS Metallurgy with 3-5 years of experience in the development of composite materials to maintain structural integrity and alignment in a tight tolerance, high speed machinery environment. (A similar position is available to develop composite materials for specialty devices used in spacecraft equipment.)
- Vibration. MSME or MS Hydraulics to design and develop high performance hydraulically operated vibration equipment. Familiarity with acoustics helpful. Experience with dynamic systems is required.

These current assignments are permanent positions with client growth firms in an attractive lakeside location in the Upstate New York Finger Lakes District. Funding for these projects is firm. The long term potential for individuals with strong analytical and experimental skills is excellent.

Contact:
Norm Brucks
BRUCKS PERSONNEL CORPORATION
300 Main Street
East Rochester, New York 14445
716 248-9090